



DERWENT-ACC-NO: 1998-508128

DERWENT-WEEK: 199844

COPYRIGHT 2006 DERWENT INFORMATION LTD

TITLE: Safety net/slide for climbing walls - consists  
of net or padding located at a distance below climbing  
wall

PATENT-ASSIGNEE: KROLUK M[KROLI]

PRIORITY-DATA: 1998DE-2011033 (June 19, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE
PAGES MAIN-IPC		
DE 29811033 U1	September 24, 1998	N/A
009 A63B 009/00		

APPLICATION-DATA:

PUB-NO	APPL-DESCRIPTOR	APPL-NO
APPL-DATE		
DE 29811033U1	N/A	1998DE-2011033
June 19, 1998		

INT-CL (IPC): A62B037/00, A63B009/00 , A63B017/00

ABSTRACTED-PUB-NO: DE 29811033U

BASIC-ABSTRACT:

The net and/or slide unit consists of flat and/or inclined and/or formed padding (2) on a fixed base (3) and/or suspended construction (4); and/or nets, textile, or rubber lengths, which are freely suspended or tensioned in a frame (6). Padding and net are positioned at a small distance under a climbing wall (1), and conform to its height, angle, width and staging. The relative distance between climbing wall and safety net corresponds to the height of a person in access and/or exit areas (7,8). In addition, there may be an access barrier (10) in these areas.

ADVANTAGE - Permits single climber to attempt difficult climbs.

CHOSEN-DRAWING: Dwg.1/5

TITLE-TERMS: SAFETY NET SLIDE CLIMB WALL CONSIST NET PAD LOCATE  
DISTANCE BELOW

CLIMB WALL

DERWENT-CLASS: P35 P36

SECONDARY-ACC-NO:

Non-CPI Secondary Accession Numbers: N1998-396253